



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NO.           | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---------------------------|-------------|----------------------|---------------------|------------------|
| 10/789,547                | 02/26/2004  | Michel Sayag         | SAY1P004D1          | 9483             |
| 22434                     | 7590        | 07/11/2005           | EXAMINER            |                  |
| BEYER WEAVER & THOMAS LLP |             |                      | LEE, SHUN K         |                  |
| P.O. BOX 70250            |             |                      | ART UNIT            |                  |
| OAKLAND, CA 94612-0250    |             |                      | PAPER NUMBER        |                  |
|                           |             |                      | 2878                |                  |

DATE MAILED: 07/11/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/789,547

Applicant(s)

SAYAG, MICHEL

Examiner

Shun Lee

Art Unit

2878

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 14 January 2005 and 29 April 2005.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-22 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1 and 9-22 is/are rejected.
- 7) ☒ Claim(s) 2-8 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 26 February 2004 and 09 August 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)  | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date <u>0405</u> . | 6) <input type="checkbox"/> Other: _____  |

## DETAILED ACTION

### ***Continued Examination Under 37 CFR 1.114***

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submissions filed on 14 January 2005 and 29 April 2005 have been entered.

### ***Information Disclosure Statement***

2. The information disclosure statement filed 3 June 2004 fails to comply with the provisions of 37 CFR 1.97, 1.98 and MPEP § 609 because a copy of any patent, publication, pending U.S. application or other information, as specified in paragraph (a) of this section, listed in an information disclosure statement is required to be provided, even if the patent, publication, pending U.S. application or other information was previously submitted to, or cited by, the Office in an earlier application, unless the information disclosure statement submitted in the earlier application complies with paragraphs (a) through (c) of 37 CFR 1.98. As indicated in the parent application, some of the information submitted were not considered because of noncompliance with 37 CFR 1.98. In order to ensure consideration of information previously submitted, but not considered, in a parent application, applicant must resubmit the information in the continuing application in compliance with 37 CFR 1.97 and 37 CFR 1.98. It has been placed in the application file, but the information referred to therein has not been

Art Unit: 2878

considered as to the merits. Applicant is advised that the date of any re-submission of any item of information contained in this information disclosure statement or the submission of any missing element(s) will be the date of submission for purposes of determining compliance with the requirements based on the time of filing the statement, including all certification requirements for statements under 37 CFR 1.97(e). See MPEP § 609 ¶ C(1).

3. Regarding the information disclosure statement filed 29 April 2005, it should be noted that U.S. Patent 5,715,292 was already considered in the information disclosure statement filed 3 June 2004.

#### ***Specification***

4. The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

#### ***Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1, 9, 11, 12, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mueller *et al.* (WO 99/28765 with corresponding US 6,373,074) in view of Alvarez (US 5,221,843) and the third edition (1997-02) of IEC 60406.

In regard to claim 1, Mueller *et al.* disclose (Figs. 1 and 7) an integrated x-ray image capture and readout system, comprising:

- (a) a cassette enclosure (70) having a form factor;
- (b) a storage-phosphor plate (15) operable to capture incident x-rays corresponding to an image;
- (c) a stimulating light source (11) operable to expose a surface of the storage-phosphor plate (15) to stimulating light;
- (d) an array of detectors (12) positioned to receive stimulated light via the surface of the storage-phosphor plate (15), the stimulated light being released from the storage-phosphor plate (15) in response to the stimulating light; and
- (e) an actuator assembly (71, 72, 73) operable to effect relative motion between the surface of the storage-phosphor plate (15) and each of the stimulating light source (11) and the array of detectors (12) in one dimension (A);

wherein the storage-phosphor plate (15), the stimulating light source (11), the array of detectors (12), and the actuator assembly (71, 72, 73) are enclosed in the cassette enclosure (70).

The system of Mueller *et al.* lacks an explicit description that the cassette enclosure form factor corresponding to a standard radiographic film cassettes, the form factor corresponding to a thickness of the cassette enclosure of about 0.6 inches (*i.e.*, ~15 mm). However, Mueller *et al.* also disclose (US 6,373,074 column 10, lines 55-57) that the x-ray cassette can be manufactured with very small dimensions such as a 45 mm x-ray cassette insertable in conventional x-ray units already in operation.

Art Unit: 2878

Further, conventional x-ray units already in operation are well known in the art. For example, Alvarez teach (column 2, lines 32-40) that nearly all medical equipment is designed for film cassettes (*i.e.*, standard radiographic film cassettes) and that compatibility with these film cassette holder is highly desirable. Further, the third edition (1997-02) of IEC 60406 provides example of radiographic film cassette thickness of 15 mm, 16.5 mm, and 20.5 mm. Therefore it would have been obvious to one having ordinary skill in the art at the time of the invention to provide a cassette enclosure form factor in the system of Mueller *et al.* corresponding to a standard radiographic film cassette form factor (*e.g.*, ~15 mm thick), in order that the system is insertable in conventional x-ray units already in operation.

In regard to claim 9 which is dependent on claim 1, Mueller *et al.* also disclose (Figs. 1 and 7) that the actuator assembly (71, 72, 73) is disposed along an edge of the cassette enclosure (70) to maximize an imaging area of the storage-phosphor plate (15).

In regard to claim 11 which is dependent on claim 1, Mueller *et al.* also disclose (Figs. 1 and 7) that the actuator assembly (71, 72, 73) comprises a magnetic linear motor (*i.e.*, comprising guide bars 71, 72 as reaction components for linear motor 73; US 6,373,074 column 10, lines 29-39).

In regard to claim 12 which is dependent on claim 1, Mueller *et al.* also disclose (Figs. 1 and 7) that the array of detectors (12) is operable to convert the stimulated light to electronic data corresponding to the image, the system further comprising a

Art Unit: 2878

transmission medium (*i.e.*, interface ports; US 6,373,074 column 10, lines 49-51) for transmitting the electronic data out of the cassette enclosure (70).

In regard to claim **20** which is dependent on claim 1, Mueller *et al.* also disclose (Figs. 1 and 7) that the actuator assembly (71, 72, 73) comprises a magnetic linear motor (*i.e.*, comprising guide bars 71, 72 as reaction components for linear motor 73; US 6,373,074 column 10, lines 29-39) and the stimulating light source (11) and the array of detectors (12) are configured on a translation stage (10).

7. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Mueller *et al.* (WO 99/28765 with corresponding US 6,373,074) in view of Alvarez (US 5,221,843) and the third edition (1997-02) of IEC 60406 as applied to claim 1 above, and further in view of Floresta *et al.* (US 6,239,516) and Budinski *et al.* (US 5,912,944).

In regard to claim **10** which is dependent on claim 1, while Mueller *et al.* also disclose (Figs. 1 and 7; US 6,373,074 column 10, lines 29-39) that the actuator assembly (71, 72, 73) comprises guide bars 71, 72 as reaction components for linear motor 73, the system of Mueller *et al.* lacks that at least a portion of the actuator assembly comprises a radiolucent material. However, linear motors are well known in the art. For example, Floresta *et al.* teach (column 2, line 47 to column 3, line 27) that a linear motor comprising resin epoxy have a number of advantageous such as enhanced performance. Further, Budinski *et al.* teach (column 3, line 63 to column 4, line 2) that cassettes are formed from epoxy since epoxy have very small x-ray attenuation.

Therefore it would have been obvious to one having ordinary skill in the art at the time

Art Unit: 2878

of the invention to form the actuator assembly in the system of Mueller *et al.* with resin epoxy (which is inherently a radiolucent material), in order to obtain an enhanced linear motor performance.

8. Claims 13-15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mueller *et al.* (WO 99/28765 with corresponding US 6,373,074) in view of Alvarez (US 5,221,843) and the third edition (1997-02) of IEC 60406 as applied to claim 1 above, and further in view of Dewaele (US 5,757,021).

In regard to claims **13-15** which are dependent on claim 1, the system of Mueller *et al.* lacks a radio frequency detector for detecting radio frequency energy in close proximity to the cassette enclosure, the radio frequency energy corresponding to patient information to be associated with the image, and a radio frequency transmitter included in one of a wrist band and a badge disposed outside of the cassette enclosure for generating the radio frequency energy. Dewaele teach (column 9, lines 20-63) a radio frequency detector for detecting radio frequency energy in close proximity to the cassette enclosure (*i.e.*, radio frequency tags on storage-phosphor cassettes), the radio frequency energy corresponding to patient information to be associated with the image (*i.e.*, radio frequency tags in one of a hospital bracelet or an identification card; column 11, lines 35-37), in order to associate the radiographic image with a patient (column 1, lines 37-38). Therefore it would have been obvious to one having ordinary skill in the art at the time of the invention to provide a hospital bracelet in the system of Mueller *et al.* for transmitting radio frequency energy (*i.e.*, patient information) to a radio



Art Unit: 2878

frequency tag on the cassette, in order to associate the radiographic image with a patient.

9. Claims 16-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mueller *et al.* (WO 99/28765 with corresponding US 6,373,074) in view of Alvarez (US 5,221,843) and the third edition (1997-02) of IEC 60406 as applied to claim 1 above, and further in view of Karellas (US 5,864,146).

In regard to claims **16-19** which are dependent on claim 1, the system of Mueller *et al.* lacks an image capture detection circuitry comprising an x-ray detector (e.g., a photodiode for detection prompt emission of the storage-phosphor plate) for detecting some of the incident x-rays and generating a signal indicative whether capture of the incident x-rays is occurring, and that the signal is employed to control actuation of the actuator assembly. Karellas teaches (column 36, line 60 to column 37, line 21) to detect prompt emission from a storage-phosphor plate in order to assess the level of x-ray exposure in order to adjust the reading of the storage-phosphor plate. Therefore it would have been obvious to one having ordinary skill in the art at the time of the invention to provide an image capture detection circuitry comprising an x-ray detector (e.g., a photodiode for detection prompt emission of the storage-phosphor plate) in the system of Mueller *et al.*, in order to obtain a signal which is to adjust the storage-phosphor plate reading (e.g., by controlling the actuation of the actuator assembly).

10. Claim 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Mueller *et al.* (WO 99/28765 with corresponding US 6,373,074) in view of Alvarez

Art Unit: 2878

(US 5,221,843) and the third edition (1997-02) of IEC 60406 as applied to claim 20 above, and further in view of Floresta *et al.* (US 6,239,516).

In regard to claim **21** which is dependent on claim 20, while Mueller *et al.* also disclose (Figs. 1 and 7) that the magnetic linear motor (*i.e.*, comprising guide bars 71, 72 as reaction components for linear motor 73; US 6,373,074 column 10, lines 29-39) comprises at least one guide bar (71, 72) disposed inside and along an edge of the cassette enclosure (70), and a linear motor actuator (73) coupled to the translation stage (10), the system of Mueller *et al.* lacks an explicit description that the guide bars (71, 72) comprise magnets. However, linear motors are well known in the art. For example, Floresta *et al.* teach (column 1, lines 7-63) it is known in the art that guide bars as reaction components for a linear motor comprise magnets. Therefore it would have been obvious to one having ordinary skill in the art at the time of the invention that the reaction components in the system of Mueller *et al.* comprise of magnets as is well known in the art.

11. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over Mueller *et al.* (WO 99/28765 with corresponding US 6,373,074) in view of Alvarez (US 5,221,843) and the third edition (1997-02) of IEC 60406 as applied to claim 1 above, and further in view of Applicant's Admitted Prior Art.

In regard to claim **22** which is dependent on claim 1, the system of Mueller *et al.* lacks that standard radiographic film cassette form factors have a set of dimensions corresponding to one of 14" X 17", 14" X 14", 10" X 12", 8" X 10", 35 cm X 43 cm, 35 cm X 35 cm, 20 cm X 40 cm, 18 cm X 43 cm, 13 cm X 18 cm, 13 cm X 30 cm,

Art Unit: 2878

18 cm X 24 cm, and 24 cm X 30 cm. Applicant admits (last paragraph on pg. 19) as Prior Art that standard radiographic film cassette form factors have a set of dimensions corresponding to one of 14" X 17", 14" X 14", 10" X 12", 8" X 10", 35 cm X 43 cm, 35 cm X 35 cm, 20 cm X 40 cm, 18 cm X 43 cm, 13 cm X 18 cm, 13 cm X 30 cm, 18 cm X 24 cm, and 24 cm X 30 cm. Therefore it would have been obvious to one having ordinary skill in the art at the time of the invention to provide a cassette enclosure form factor in the system of Mueller *et al.* corresponding to a known standard radiographic film cassette form factor (e.g., 35 cm X 35 cm), in order that the system is insertable in conventional x-ray units already in operation.

### ***Response to Amendment***

12. The declaration under 37 CFR 1.132 filed 29 April 2005 is insufficient to overcome the rejection of claims 1-22 based upon Mueller *et al.* as applied under 35 U.S.C. 103 as set forth in the last Office action because:

Applicant argues that the x-ray cassette of Mueller *et al.* is different from a film-like cassette similar in size to a standard radiographic film cassette since the x-ray cassette of Mueller *et al.* is a digital bucky. Examiner respectfully disagrees. There is no evidence within the Mueller *et al.* reference that a reciprocating bucky grid and reciprocating means are incorporated within the x-ray cassette of Mueller *et al.*

Applicant argues Mueller *et al.* neither suggest that the reproduction device is unnecessary nor that the apparatus would work without it. Examiner respectfully disagrees. Mueller *et al.* state (US 6,373,074 column 3, lines 38-42) that "A reproduction device can be provided between the phosphor carrier and the receiving

device, which can be used to reproduce the secondary radiation emitted by the individual stimulated points of the phosphor carrier at the individual point elements of the receiving device" and (US 6,373,074 claim 6) a device "further comprising reproduction means". Thus it is clear that the x-ray cassette of Mueller *et al.* does not require a reproduction device but may further comprise a reproduction device.

Therefore the invention of Mueller *et al.* expressly does not require a reproduction device.

13. In view of the foregoing, when all of the evidence is considered, the totality of the rebuttal evidence of nonobviousness fails to outweigh the evidence of obviousness.

#### ***Allowable Subject Matter***

14. Claims 2-8 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

15. The following is a statement of reasons for the indication of allowable subject matter: the instant application is deemed to be directed to a nonobvious improvement over the invention patented in US Patent 6,373,074. The improvement comprises in combination with other recited elements, an actuator driver positioned externally to the cassette enclosure and operationally coupled to the actuator assembly via a mechanical link.

#### ***Response to Arguments***

16. Applicant's arguments filed 29 April 2005 have been fully considered but they are not persuasive.

Applicant argues (remarks filed 29 April 2005) that Mueller *et al.* explicitly indicates that its lower limit on cassette thickness is at least three times the upper limit of the preferred standard cassettes defined by IEC 60406 since the cassette thickness cannot be compressed below the stated limit due in large part to optical considerations (*i.e.*, the CCD and Selfoc lens system). Examiner respectfully disagrees. Mueller *et al.* state (US 6,373,074 column 10, lines 52-57) that "Due to the design subject to the invention of the device for reading out information stored in a phosphor carrier, the x-ray cassette can be manufactured with very small dimensions. It is possible to limit the thickness of the x-ray cassette to about 45 mm such that it can even be insertable in conventional x-ray units already in operation". Thus Mueller *et al.* teach that the x-ray cassette can be manufactured with very small dimensions so that it can even be inserted into ~45 mm thick openings in conventional x-ray units. However, this is merely an example of the very small dimensions of the x-ray cassette and is not an express teaching of a lower limit of ~45 mm. Further in regard to the Selfoc lens system, Mueller *et al.* state (US 6,373,074 column 3, lines 38-42) that "A reproduction device can be provided between the phosphor carrier and the receiving device, which can be used to reproduce the secondary radiation emitted by the individual stimulated points of the phosphor carrier at the individual point elements of the receiving device" and (US 6,373,074 column 5, lines 12-14) that "A Selfoc lens can be provided for each stimuable point of the line of the phosphor plate 15, however, this is not required for the invention". Mueller *et al.* also recites (US 6,373,074 claim 6) a device "further comprising reproduction means". Thus it is clear that the x-ray cassette of Mueller *et al.*

Art Unit: 2878

does not require a reproduction device (e.g., an optional Selfoc lens) but may further comprise a reproduction device. Therefore, applicant's argument that the cassette thickness cannot be manufactured with very small dimensions due to optical considerations such as a reproduction device is not persuasive since the invention of Mueller *et al.* expressly does not require a reproduction device.

**Conclusion**

17. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Shun Lee whose telephone number is (571) 272-2439. The examiner can normally be reached on Tuesday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Porta can be reached on (571) 272-2444. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

SL

  
CONSTANTINE MANNAIER  
PRIMARY EXAMINER  
GROUP ART UNIT 2878